

BMP: NITROGEN MANAGEMENT PROJECT – Upgrading Seeder Equipment

Upgrading Seeder Equipment to Allow for Banding / Side Dressing / Injection of Fertilizer – \$200/ft (up to \$30,000). Equipment Upgrades must be accompanied by another PWCP-funded practice (previous PWCP-funded projects count as accompanying); OR the applicant must report on the change in nitrogen fertilizer use (fertilizer rates before and after the equipment upgrade).

By checking and initialing, I confirm that the following is true:

This project is a new practice for my operation, or it is an expansion of a practice that I have implemented on new land/acres than previous years. _____ Initials

Equipment Type	Upgrade Type (side banding, side dressing or Injection of Fertilizer)	Vendor	Invoice #	Total Cost	Equipment Width	Costs (\$200/ft)
Is there an accompanying practice? Yes or No.	If yes, list the practice and implementation year. (Attach an additional sheet if needed).	District Initials Verification	If no, the applicant must submit a completed 'Appendix A' form to the delivery agent before payment is sent. Select 'I Agree'.	Applicant Initials		
Upgrading Seeder Equipment Totals:						

Costs are: Quotes Actual Cost Verified by staff: _____ staff initial

Why are you implementing this practice?

OFFICE USE

File #		Total Acres	
Project Type	NM—Equip Upgrades	Total In-Kind	
Sub-District		Total Eligible Costs	